

Operations Research VTU CBCS Question Paper Set 2018

VTU CAMPUS APP




Ultimate Guide to Score High In VTU Exams eBook ₹39/-

> Guide to Score High in ANY VTU EXAM

> > Download Now

10CS/IS661 USN Sixth Semester B.E. Degree Examination, Dec.2015/Jan.2016 **Operations Research** Time: 3 hrs. Max. Marks: 100 Note: Answer any FIVE full questions, selecting atleast TWO questions from each part. PART - A a. Define Operation Research. List and briefly explain the phases of Operations Research. 1 (08 Marks) b. Solve the following LPP by graphical method. Min $Z = 20x_1 + 10x_2$ Constraints $x_1 + 2x_2 \le 40$ $3x_1 + x_2 \ge 30$ $4x_1 + 3x_2 \ge 60$ $x_1, x_2 \ge 0$ $(\bigcirc$ (06 Marks) c. A farmer has 100 acres of form. He can sell all tomatoes, lettuce or radishes and can raise the price to obtain Re 1.00 per kg for tomatoes, Rs 0.75 ahead for lettuce and Rs 2.00 per kg for radishes. The average yield per acre is 2000kg of tomatoes, 3000 heads of lettuce, and 1000 kgs of radishes. Fertilizers are available at Rs 0.50 per kg and the amount required per acre is 100 kgs each for tomatoes and lettuce and 50 kgs for radishes. Labour required for sowing, cultivating and harvesting per acre is 5 man - days for tomatoes and radishes and 6 man – days for lettuce. A total $\sqrt{6}$ 400 man – days of labour are available at Rs 20.00 per man - day. Formulate this problem as a linear programming model to maximize the farmer's total profit. (06 Marks) Explain 6 basic assumptions of Simplex method. (06 Marks) 2 a. b. Solve the following LPP using Simplex method. (10 Marks) Max $Z = 3x_1 + 2x_2 + 5x_3$ Constraints $\mathbf{x}_1 + \mathbf{x}_2 + \mathbf{x}_3 \le 430$ $3x_1 + 2x_3 \le 460$ $+4x_2 \le 420$ $\mathbf{x}_1, \mathbf{x}_2, \mathbf{x}_3 \geq \mathbf{0}.$ Write a brief note on 'Unbounded solution' and 'Infeasible solution' of Simplex method. (04 Marks) Solve using 'Big – M' method. Min $Z = 12x_1 + 20x_2$ Constraints $6x_1 + 8x_2 + \ge 100$ $7x_1 + 12x_2 \ge 120$ (10 Marks) $x_1, x_2 \ge 0.$ b. Solve using '2 – Phase' method. $Max \ Z = 5x_1 - 4x_2 + 3x_3$ Constraints $2x_1 + x_2 - 6x_3 = 20$ $6x_1 + 5x_2 + 10x_3 \le 76$ $8x_1 - 3x_2 + 6x_3 \le 50$ (10 Marks) $x_1, x_2, x_3 \ge 0.$ 1 of 3

10CS/IS661



	" a "aut"				
	W ₁	W ₂	W_3	W4	Capacity
F ₁	19	30	50	10	07
F ₂	70	30	40	60	09
F ₃	40	08	70	20	18
Demand	05	08	07	14	34

b. Solve the given Assignment problem, so that the total cost is minimized.

(10 Marks)

	M	M_2	M ₃	M4
J	05	07	11	06
J ₂	08	05	09	06
J ₃	04	07	10	07
J ₄	10	04	08	03

a. Use graphical method to solve the following game

 $\begin{bmatrix} B \\ 1 & 3 & 11 \\ 8 & 5 & 2 \end{bmatrix}$

b. A firm owner is seriously considering of drilling a farm well in the past, only 70% of wells drilled were successful at 200 Feet of depth. Moreover on finding no water at 200 Ft., some persons drilled it further upto 250 Ft but only 20% struck water at 250 Ft. The prevailing cost of drilling is Rs 50/Foot. The farm owner estimated that in case he does not get his own wells he will have to pay Rs 15,000 over the next 10 years in PV term, to buy water from the neighbor. The following decisions can be optimal : i) Do not drill any well ii) Drill upto 200 Ft and iii) If no water is found at 200 Ft, drill further upto 250 Ft.


Draw an appropriate decision tree and determine the farm owner's strategy under Expected Monetary Value (EMV) approach. (10 Marks)

2 of 3

(10 Marks)

10CS/IS661

 8 a. Use Tabu search algorithm to find an optimal solution of the following illustration. Constraint 1 : Link AD can be included only if link DE also included. Constraint 2 : At most one of the three links AD, CD and AB can be included. Charge a penalty of Rs 100 if Constraint 1 is violated. Charge a penalty of Rs 100 if two of the three links specified in constraints 2 are included. Increase this penalty to Rs 200 if all the three of links are included.





Sixth Semester B.E. Degree Examination, Dec.2016/Jan.2017 Operations Research

Time: 3 hrs.

Max. Marks:100

10CS/IS661

Note: Answer any FIVE full questions, selecting atleast TWO questions from each part.

<u>PART – A</u>

1	a.	What are different phases of operation research? Briefly explain phases of research study.	operations (08 Marks)
	b.	Old hens can be brought at $\texttt{F}50$ /each but young ones cost $\texttt{F}100$ /- each. The old 3 eggs/week and young ones lay 5 eggs/week. Each egg sold at $\texttt{F}2$ / A hen costs \texttt{F} feed. If a person has only $\texttt{F}3000$ /- to spend for hens. Formulate the problem to d many of each kind of hen should he buy? Assume that he cannot house more than \texttt{F}	₹5/week to ecide how
	C.	Define the following with respect to a LPP. Give example for each :(i) Feasible solution(ii) Feasible region	
		(iii) Infeasible solution	(06 Marks)
2	a.	Solve the following LPP by using graphical method: Maximize $Z = 5x_1 + 4x_2$ Subject to $6x_1 + 4x_2 \le 24$ $x_1 + 2x_2 \le 6$ $-x_1 + x_2 \le 1$ $x_2 \le 2$	
		where $x_1, x_2 \ge 0$	(08 Marks)
	b. c.	What are methods of post optimality analysis of LPP? Solve the following LPP by using Simplex method. Maximize $Z = 5x_1 + 3x_2$ Subject to $x_1 + x_2 \le 2$	(02 Marks)
		$5x_1 + 2x_2 \le 10$	
		$3\mathbf{x}_1 + 8\mathbf{x}_2 \le 12$	
		where $x_1, x_2 \ge 0$	(10 Marks)
3	a.	Solve the following by using Big-M method. Maximize $Z = 6x_1 + 4x_2$ Subject to $2x_1 + 3x_2 \le 30$	
		$3x_1 + 2x_2 \le 24$ $x_1 + x_2 \ge 3$ where $x_1, x_2 \ge 0$	(10 Marks)
	b.	Solve the following LPP by using Two-phase Simplex method. Maximize $Z = 5x_1 + 3x_2$ Subject to $2x_1 + x_2 \le 1$ $x_1 + 4x_2 \ge 6$	
		where x_1 , $x_2 \ge 0$	(08 Marks)
	c.	Mention software packages used to solve LPP. 1 of 3	(02 Marks)

10CS/IS661

Solve the following LPP by using revised Simplex method. 4 a.

> Maximize $Z = 2x_1 + x_2$ Subject to

 $3x_1 + 4x_2 \le 6$ $6x_1 + x_2 \le 3$

(10 Marks)

where $x_1, x_2 \ge 0$ b. Explain the following terms : (i) Weak duality property (ii) Strong duality property (iii) Complimentary solution property.

(06 Marks)

c.	Write the dual of the following:	:	
	(i) Maximize $Z = 4x_1 + 10x_2 + $	+ $25x_3$ (ii) Minimize	$\mathbf{Z} = 20\mathbf{x}_1 + 40\mathbf{x}_2$
	Subject to $2x_1 + 4x_2 + 8$	$3x_3 \le 25$ Subject to	$2x_1 + 20x_2 \ge 40$
	$4x_1 + 9x_2 + 8$	$3x_3 \leq 30$	$20x_1 + 3x_2 \ge 20$
	$6x_1 + 2x_2$	$x_3 \leq 40$	$4x_1 + 20x_2 \ge 30$
	where x_1, x_2, z_3	$\mathbf{x}_3 \ge 0$	where $x_1, x_2 \ge 0$
			(04 Marks)

PART - B

- a. Briefly explain about sensitivity analysis. (05 Marks) 5 b. Explain primal-dual relationship with an example. (05 Marks) c. Solve the following by using dual simplex method. Minimize $Z = 2x_1 + 2x_2 + 4x_3$ Subject to $2x_1 + 3x_2 + 5x_3 \ge 2$ $3x_1 + x_2 + 7x_3 \le 3$ $x_1 + 4x_2 + 6x_3 \le 5$ where $x_1, x_2, x_3 \ge 0$ (10 Marks)
- a. Solve the following transportation problem by using (i) North-West corner method 6 (ii) Vogel's approximation method.

	1	2	3	4	Supply
1	3	1	7	4	300
2	2	6	5	9	400
3	8	3	3	2	500
Demand	250	350	400	200	
	1 2 3 Demand	$ \begin{array}{c c} 1 \\ 3 \\ 2 \\ 3 \\ 8 \\ Demand \\ 250 \end{array} $	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 8 3 3	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

(10 Marks)

b. Solve the following assignment problem.

•		Subject					
		S_1	S_2	S_3	S_4		
	\mathbf{P}_1	2	10	9	7		
Professor	P_2	15	4	14	8		
	P3	13	14	16	11		
	P_4	3	15	13	8		

Find the schedule so as to minimize the total subject preparation time for all subjects. (10 Marks)

(06 Marks)

- 7 a. Explain following terms with example :
 - (i) Saddle point (ii) Value of the game (iii) Payoff matrixb. Solve the following game by dominance principle :
 - Player B

		Flayer D							
		1	2	3	4	5			
	1	2	5	10	7	2			
Player A	2	3	3	6	6	4			
	3	4	4	8	12	1			

(07 Marks)

c. Solve optimally using graphical method by considering the payoff matrix of player A as shown below: **D**1 -

		Player B							
		1	2	3	4	5			
	1	3	6	8	4	4]		
Player A	2	-7	4	2	10	2]		
			•				-		


(07 Marks)

- Explain the following terms: 8
 - a. Metaheuristics, advantages and disadvantages
 - b. Tabu search algorithm


 - c. Genetic algorithmd. Simulated annealing

* * * * *

(20 Marks)



1 of 2



2 of 2

10CS/IS661 USN Sixth Semester B.E. Degree Examination, June/July 2013 **Operations Research** Time: 3 hrs. Max. Marks:100 Note: Answer FIVE full questions, selecting at least TWO questions from each part. PART – A 1 Define operations research. List and explain the various phases of an operations research a. study. (08 Marks) b. A farmer has to plant two kinds of trees P and Q in a land of 400m² area. Each P tree requires at least 25m² and Q tree requires 40m² of land. The annual water requirement of P tree is 30 units and of Q tree is 15 units per tree, while at most 3000 units of water is available. It is also estimated that the ratio of the number of Q trees to the number of P trees should not be less than 6/19 and should not be more than 17/8. The return per tree from P is expected to be one and half times as much as from Q tree. Formulate the problem as an LPP model. (06 Marks) c. Use the graphical method to solve the following LPP Minimize $Z = 1.5x_1 + 2.5x_2$ Subject to the constraints $x_1 + 3x_2 \ge 3$, $\mathbf{x}_1 + \mathbf{x}_2 \ge 2$ And $x_1, x_2 \ge 0$. (06 Marks) Define basic solution and obtain all the basic solutions to the following system of linear 2 a. equations: $2x_1 + 3x_2 + 4x_3 = 10,$ $3x_1 + 4x_2 + x_3 = 12$ Also, classify the solutions into Basic feasible solution i) Degenerate basic solution ii) iii) Non-degenerate basic feasible solution. (07 Marks) b. Solve the following LPP using simplex method: Maximize $Z = 10x_1 + 15x_2 + 8x_3$ Subject to the constraints $x_1 + 2x_2 + 2x_3 \le 200$, $2\mathbf{x}_1 + \mathbf{x}_2 + \mathbf{x}_3 \le 220$, $3\mathbf{x}_1 + \mathbf{x}_2 + 2\mathbf{x}_3 \le 180$, $x_1 \ge 10$, $x_2 \ge 20$, $x_3 \ge 30$ and $x_1, x_2, x_3 \ge 0$. (13 Marks) Solve the following LPP by two-phase simplex method: 3 a. Maximize $Z = 3x_1 - x_2$ Subject to the constraints $2\mathbf{x}_1 + \mathbf{x}_2 \ge 2,$ $\mathbf{x}_1 + 3\mathbf{x}_2 \le 2,$ $x_2 \leq 4$ $x_1, x_2 \ge 0.$ and (10 Marks)

Any revealing of identification, appeal to evaluator and /or equations written eg, 42+8 = 50, will be treated as malpractice. Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages. N

Download latest question papers and notes from VTU campus app on playstore

b. Solve the following LPP by Big-M method: Maximize $Z = -2x_1 - x_2$ Subject to the constraints $3x_1 + x_2 = 3$, $4x_1 + 3x_2 \ge 6$, $x_1 + 2x_2 \le 4$ and $x_1, x_2 \ge 0$. (10 Marks) Solve the following LPP by revised simplex method: 4 a. Maximize $Z = 2x_1 + x_2$ Subject to the constraints $3x_1 + 4x_2 \le 6$ $6x_1 + x_2 \le 3$ $x_1, x_2 \ge 0$ And (12 Marks) b. Explain the following: Weak duality property i) Strong duality property ii) iii) Complementary solutions property Complementary optimal solutions property. iv) (08 Marks) PART – B 5 Write any five key relationships between the primal and the dual problems. a. (05 Marks) Write the duals of the following LPP's. b. Maximize $Z = 7x_1 + 4x_2 + 5x_3$ i) Subject to the constraints $2x_1 - 4x_2 + 3x_3 \le 10$, $x_1 + 3x_2 + x_3 \le 6$ and $x_1, x_2, x_3 \ge 0$. ii) Minimize $Z = 3x_1 + 2x_2 + x_3$ Subject to the constraints $2x_1 - 3x_2 + x_3 \le 5$, $4x_1 - 2x_2 \ge 9$, $-8x_1 + 4x_2 + 3x_3 = 8$ and $x_1, x_2 \ge 0$ and x_3 is unrestricted. (07 Marks) c. Solve the following LPP by dual simplex method: Minimize $Z = 2x_1 + 2x_2 + 4x_3$ Subject to the constraints $2x_1 + 3x_2 + 5x_3 \ge 2$, $3x_1 + x_2 + 7x_3 \le 3$, $x_1 + 4x_2 + 6x_3 \le 5$

- (08 Marks)
- 6 a. A company has 3 cement factories located in 3 cities X, Y and Z which supply cement to 4 project sites located in cities A, B, C and D. Each plant can supply 6, 1 and 10 truckloads of cement daily and the daily requirements of the projects are 7, 5, 3 and 2 truckloads respectively. The transportation cost (in thousands of rupees) per truck load of cement from each plant to each project site are shown below.

 $x_1, x_2, x_3 \ge 0.$

and

10CS/IS661

	Projects						
		Α	В	С	D		
D1	Χ	2	3	11	7		
Plants	Y	1	0	6	1		
	Ζ	5	8	15	9		

Determine the optimal distribution of the company so as to minimize the total transportation cost. Use VAM method to find the initial BFS. (12 Marks)

b. Solve the following assignment problem:

		Machines							
		M_1	M_2	M_3	M 4	M_5	_		
	J_1	11	17	8	16	20			
	J_2	9	7	12	6	15] .		
lobs	J_3	13	16	15	12	16]		
	J_4	21	24	17	28	26].		
	J_5	14	19	12	11	13]		

(08 Marks)

(03 Marks)

- 7 a. Define the following with respect to games:
 - i) Pay-off
 - ii) Zero-sum game
 - iii) Saddle point.
 - b. Solve the following game by Dominance principle:

		Player B				
a standarda		Bı	B ₂	B ₃	\mathbf{B}_4	
, C	A_1	3	2	4	0	
	A ₂	3	4	2	4	
Player A	A_3	4	2	4	0	
	A ₄	0	4	0	8	

(06 Marks)

c. Solve the following game by graphical method:

	Player B					
		B_1	B_2	\mathbf{B}_3	B_4	
Player A	A_1	8	5	-7	9	
1 100 01 1 1	A_2	-6	6	4	-2	

- d. Write a short note on decision trees.
- a. Write the outline of a basic tabu search algorithm. Explain it with the help of a minimum spanning tree problem with constraints. (10 Marks)
- b. Write short notes on:

8

i) Simulated annealing; ii) Genetic algorithms.

* * * * *

(10 Marks)

(07 Marks) (04 Marks)



10CS/IS661

Max. Marks:100

Sixth Semester B.E. Degree Examination, June / July 2014 Operations Research

Time: 3 hrs.

Note: Answer FIVE full questions, selecting at least TWO questions from each part.

<u>PART – A</u>

1	a. b.	PART – A Define operations research. Explain the six phases of OR study. A firm manufactures two types of products A & B and sells them at a profit of A and Rs.3 on type B. Each product is processed on two machines G and H. Ty one minute of processing time on G and two minutes on H. Type B requires of G and one minute on H. The machine G is available for not more than 6 hour while H is available for 10 hours during any working day. How many items of type B should be produced so that the total profit is maximum? i) Use mathematical formulation to the LPP.	pe A requires one minute on rs 40 minutes
		ii) Use graphical method to solve the problem.	(10 Marks)
2	a. b.	Discuss the various aspects of the concept tie breaking in simplex method. Solve the following LPP by simplex method. Maximize $z = 5x_1 + 3x_2$ Subjected to $3x_1 + 5x_2 \le 15$ $5x_1 + 2x_2 \le 10$ $x_1, x_2 \ge 0$	(10 Marks) (10 Marks)
3	a.	Solve the following LPP using two phase method: Minimize $z = 4x_1 + x_2$ Subjected to $3x_1 + x_2 = 3$ $4x_1 + 3x_2 \ge 6$ $x_1 + 2x_2 \le 4$ $x_1, x_2 \ge 0$	(10 Marks)
	b.	Solve the following LPP by Big-M method: Minimize $z = +2x_1 + x_2$ Subjected to the constraints $x_1 + 2x_2 \le 4$ $4x_1 + 3x_2 \ge 6$ $3x_1 + x_2 = 3$ $x_1, x_2 \ge 0$	(10 Marks) (10 Marks)
4	a.	Use Revised simplex method to solve LPP, Maximize $z = x_1 + 2x_2$ Subject to $x_1 + x_2 \le 3$ $x_1 + 2x_2 \le 5$ $3x_1 + x_2 \le 6$, $x_1, x_2 \ge 0$	(12 Marks)
		1 of 2	

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages. 2. Any revealing of identification, appeal to evaluator and /or equations written eg, 42+8 = 50, will be treated as malpractice.

10CS/IS661

(08 Marks)

- 4 b. Explain the following:
 - i) The essence of duality theory.
 - ii) Primal dual relationship.

PART – B

- a. Use dual simplex method to solve LPP, 5 Minimize $z = 2x_1 + x_2$ Subjected to the constraints $3x_1 + x_2 \ge 3$ $4x_1 + 3x_2 \ge 6$ $x_1 + 2x_2 \le 3$ $x_{1}, x_{2} \ge 0$
 - b. Briefly discuss about sensitivity analysis.

(10 Marks) (10 Marks)

6 a. Explain various steps involved in Hungarian algorithm with an example. (10 Marks) b. A product is produced by 4 factories F_1 , F_2 , F_3 and F_4 . Their unit production costs are Rs 2, 3, 1 and 5 respectively. Production capacity of the factories are 50, 70, 30 and 50 units respectively. The product is supplied to 4 stores S_1 , S_2 , S_3 and S_4 . The requirements of which are 25, 35, 105 and 20 respectively. Unit costs of transportation are given below.

Stores	S_1	S ₂	S ₃	S ₄
Factories				
F_1	2	4	6	11
F ₂	10	8	7	5
F ₃	13	3	9	12
F4	4	6	8	3

Find the transportation plan such that the total production and transportation cost is minimum. (10 Marks)

Two players A and B are playing a game of tossing a coin simultaneously: Player A wins 7 a. 1 unit of value when there are two heads, wins nothing when there are two tails and looses

1 unit of value when there is one head and one tail. Determine the pay off matrix, the best $\overline{2}$ (10 Marks)

- strategies for each player and the value of the game.
- b. Define the following with reference to game theory, with an example: iii) Saddle point
 - i) Pure strategy iv) Pay off matrix
- ii) Mixed strategy

v) Two person-zero-sum-game

(10 Marks)

- Explain briefly the following:
 - Tabu search algorithm. a.
 - Genetic algorithm. b.
 - Metaheuristics. c.

8

d. Simulated annealing algorithm.

(20 Marks)

2 of 2

N							10CS/IS661
		Sixth Semest	er B.E . D	egree Ex	amination	, June/July 20	15
			Opera	ations	Researc	h	
n	ne: (3 hrs.	A Memor	EIVE 6.1	questions, se		. Marks:100
				-	tions from ea	Ŷ	
				PART	-	•	
		Define : i) Feasible s		ii) Feasible		Optimal solution.	(06 Marks)
	b.	A manufacturer proc B. The following tab	luces three r	nodels I, II, data for the	III of certain p	product using raw 1	materials A and
				ent per unit	T	ן	
		Raw material	I		Availability		
		A		$\frac{3}{2}$ 5	4000		
		B Minimum Demand		$\frac{2}{00}$ $\frac{7}{150}$	6000		
		Profit per unit (Rs)		20 50	-		
		Formulate the proble			nodel.	1	(07 Marks)
	c.	Using graphical methods $Z = 5x_1$		e LPP			
		Subject to $6x_1 + 4$	-				
			$x_2 \le 24$ $2x_3 \le 6$				
		•	$-x_2 \leq 0$				
		$x_2 \le 2, 2$	-				(07 Marks)
	a.	Define slack variable	and surplus	s variable			(04 Marks)
		Solve the following					(Of Marks)
		Maximize $z = 6x_1 + $	8x ₂				
		Subject to $2x_1 + 8y_2$	4,≤16				
		$2x_1 + 4$	2				
		$\mathbf{x}_1, \mathbf{x}_2 \ge$					(10 Marks)
	c.	Explain the followin i) A standard form of	-				
		ii) Basic solution of a					
		iii) Degeneracy and a	in bounded	solution wi	h respect to sir	nplex methods.	(06 Marks)
	a.	Solve the following l	PP by Cha	me's big M	method		
		Maximize $z = 20$	-				
		Subject to : $x_1 + x_2$	=150				
		$x_1 \leq 40$					
		$x_2 \ge 20$					
	b.	where $x_1, x_2 \ge 0$ Write procedure to s	olva I DD of	ftura nhasa	ainnlar matha	A	(15 Marks)
				-	-		(05 Marks)
		Explain the computa Explain the following		aure of revi	sea simplex me	etnod in standard fo	orm. (10 Marks)
	-	i) Weak duality pro	perty		Strong duality	property	
		iii) Complementary s	olutions pro	operty iv	Complementa	ry optimal solution	
				1	of 2		(10 Marks)
				~			

10CS/IS661

(10 Marks)

<u>PART – B</u>

a. User dual simplex method and solve the following LPP: 5


Maximize
$$z = 3x_1 + x_2$$

Subject to : $x_1 + x_2 \ge 1$
 $2x_1 + 3x_2 \ge 2$
 $x_1, x_2 \ge 0$

b. Explain the role of duality theory in sensitivity analysis.

- (05 Marks) c. Write any five key relationships between the primal and the dual problems. (05 Marks)
- a. Find an initial solution to the following transportation problem using VAM 6

Destination



b. Solve the following assignment problem

Jobs

			T	7	т	Ŧ		
		M	<u>Ji</u>	J_2	<u>J1</u>	J4		
		Mi	11	17	8	16	20	
	Machine	M_2	9	7	12	6	15	
	Wachine	M_3	13	16	15	12	16	
		M_4	21	24	17	28	26	
		M_5	14	10	12	11	15	
a.	Define the following with resp	ect to a	game	s				
	i) Pay – off ii) Zero – su				ii) Sa	addle	poin	t

b. Solve the following game graphically

01	-	Pl	ayer	В
		\mathbf{B}_1	\mathbf{B}_2	B_3
Player A	\mathbf{A}_{1}	2	6	22
	A_2	16	10	24

c. Solve the following game:

7

		F	3	
	I	II	IJI	IV
1	20	15	12	35
2	25	14	8	10
3	40	2	19	5
4	5	4	11	0
	- 1	2 25	I II 1 20 15 2 25 14	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

(10 Marks)

- a. Write the outline of a basic table search algorithm. Explain it with the help of a minimum 8 spanning tree problem with constraints. (10 Marks)
 - b. Write short notes on : i) simulated annealing ii) Genetic algorithms. (10 Marks)

* * * * * 2 of 2

(10 Marks)

(07 Marks)

USN

Sixth Semester B.E. Degree Examination, June/July 2016 **Operations Research**

Time: 3 hrs.

Max. Marks:100

06-2016 08:3 Note: Answer FIVE full questions, selecting at least TWO questions from each part.

PART – A

Define the following with reference to linear programming model. 1 a.

- i) Unbounded solution
- ii) Feasible solution
- iii) Slack variable
- iv) Surplus variable
- v) Optimal Solution.
- (10 Marks) b. The whit window company is a company with only 3 employees which makes two different kinds of handcrafted windows a wood framed and an aluminum framed window. They earn \$60 profit for each wood framed window and \$30 profit for each aluminum framed window. Doug makes the wood frames and can make 6 per day. Linda makes the aluminium frames and can make 4 per day. Bob forms and cuts the glass and can make 48 square feet of glass per day. Each wood framed window uses 6 square foot of glass and each aluminum framed windows used 8 square feet of glass. The company wishes to determine how many windows of each type to produce per day to it maximize total profit. Formulate it as LPP and solve graphically. (10 Marks)
- Find all the basic solutions to the following systems of equations identifying in each case the a. basic and non basic variable and finally the optimal solution.

Maximize $Z = 5x_1 + 3x_2 + 4x_3$

Subject to

 $2x_1 + x_2 + x_3 \le 20$

 $3x_1 + x_2 + 2x_3 \le 30$

 $X_1, X_2, X_3 \ge 0.$

b. Use the simplex method to solve the following problem. Maximize $Z = x_1 + 2x_2 + 4x_3$

Subject to

 $3x_1 + x_2 + 5x_3 \le 10$ $x_1 + 4x_2 + x_3 \le 8$ $2x_1 + 2x_3 \le 7$

 $x_1, x_2, x_3 \ge 0.$

Solve the following LPP using two phase method. a. Minimize $Z = 2x_1 + 3x_2 + x_3$ Subject to $x_1 + 4x_2 + 2x_3 \ge 8$ $3x_1 + 2x_2 \ge 6$

 $x_1, x_2, x_3 \ge 0.$

(10 Marks)

(10 Marks)

(10 Marks)

10CS/IS661

2

3

- b. Use Big M method to solve the problem Minimize $Z = 3x_1 + 2x_2 + 4x_3$ Subject to $2x_1 + x_2 + 3x_3 = 60$ $3x_1 + 3x_2 + 5x_3 \ge 120$ $x_1, x_2, x_3 \ge 0.$
- 4 a. Solve by revised simplex method Maximize $Z = 6x_1 - 2x_2 + 3x_3$ Subject to $2x_1 - x_2 + 2x_3 \le 2$ $x_1 + 4x_3 \le 4$ and $x_1, x_2, x_3 \ge 0$.
 - b. Use duality to solve ; Minimize $Z_x = 3x_1 + x_2$ Subject to $x_1 + x_2 \ge 1$ $2x_1 + 3x_2 \ge 2$, $x_1, x_2, x_3 \ge 0$.

(10 Marks)

(10 Marks)

(10 Marks)

PART – B

- 5 a. Solve the following problem by dual simplex method. Minimize Z = 2x₁ + x₂ Subject to 3x₁ + x₂ ≥ 3 4x₁ + 3x₂ ≥ 6 x₁ + 2x₂ ≥ 3 x₁, x₂ ≥ 0.
 b. Solve the following problem by using lower bound technique.
 - Solve the following problem by using lower bound tech Maximize $Z = 10x_1 + 15x_2 + 8x_3$ Subject to $x_1 + 2x_2 + 2x_3 \le 200$ $2x_1 + x_2 + x_3 \le 220$ $3x_1 + x_2 + 2x_3 \le 180$ $x_1 \ge 10, x_2 \ge 20, x_3 \ge 30.$

(10 Marks)

(10 Marks)

(10 Marks)

5

a. Hindustan construction company needs 3, 3, 4 and 5 million cubic feet of fill at four earthen dams-sites in Punjab. It can transfer the fill from three mounds A, B and C where 2, 6 and 7 million cubic feet of fill is available, cost of transporting one million cubic feet of fill from mounds to the four sites in lakhs are given in the table.

Find IBFs by using any method and check for optimality.

			1	0			
From		I	II	III 17 12 20	IV	ai	
	Α	15	10	17	18	2	
	В	16	13	12	13	6	
	С	12	17	20	11	7	
	bJ	3	3		5		

10CS/IS661

b. Five men are available to do five different jobs. From past records the time (in hrs) that each man takes to do each job is known and given in the following table ;

				000		
		Ι	II	III	IV	V
	A	2	9	2	7	1
Man	В	6	8	7	6	1
Ivian	С	4	6	7 5 7 9	3	1
	D	4	2	7	3	1
	E	5	3	9	5	1
						_

Find the assignment of men to jobs that will minimize the total time taken.

(10 Marks)

- a. Define the following with reference to game theory with an example :
 - i) Pure strategy
 - ii) Mixed strategy
 - iii) Saddle point
 - iv) Pay off matrix
 - v) 2 person zero sum games.
- b. In a game of matching coins with two players, suppose one player wins Rs 2 when there are two heads and wins nothing when there are two tails and loses Rs 1 when there are one head and one tail. Determine the payoff matrix, the best strategies for each player and the value of the game.

(10 Marks)

- Explain briefly the following
- a. Tabu search

7

8

- b. Genetic Algorithm
- c. Simulated annealing technique
- d. Meta heuristics.

(20 Marks)

3 of 3



10CS/IS661

Sixth Semester B.E. Degree Examination, June/July 2017 Operations Research

Time: 3 hrs.

Max. Marks:100

Note: Answer any FIVE full questions, selecting atleast TWO questions from each part.

PART – A

1 a. Define operations research. Explain the phases of operations research. (08 Marks) b. A firm can be produced 3 types of body sweaters say A, B and C. Three kinds of wool are required for it, say red wool, green wool and blue wool. One unit of type Λ sweater needs 2 yards of red wool and 3 yards of blue wool, one unit of type B sweater needs 3 yards red wool 2 yards of green wool and 2 yards of blue wool. One unit of type C sweater needs 5 yards of green wool and 4 yards of blue wool. The firm has only a stock of 80 yards of red wool, 100 yards of green wool and 150 yards of blue wool. It is assumed that the income obtained from each unit of type A sweater is Rs. 30, type B sweater is Rs. 50 and type C sweater is Rs. 40. Formulate this problem as LPP. (05 Marks) c. Using graphical method solve the following : Maximize $Z = 3000x_1 + 2000x_2$ Subject to $x_1 + 2x_2 \le 6$ $2x_1 + x_2 \leq 8$ $x_2 \leq 2$ $-x_1 + x_2 \leq 1$ and $x_1, x_2 \ge 0$. (07 Marks) 2 a. Explain the setting up of simplex method. (04 Marks) b. Using Simplex method, solve the following LPP taking $x_1 = y_1 + 10$, $x_2 = y_2 + 20$ and $x_3 = y_3 + 30$, the LPP becomes. Maximize $Z = 10y_1 + 15y_2 + 8y_3 + 640$ $y_1 + 2y_2 + 2y_3 \le 90$ Subject to $2y_1 + y_2 + y_3 \le 150$ $3y_1 + y_2 + 2y_3 \le 70$ and $y_1, y_2, y_3 \ge 0$. (13 Marks) Why Simplex method is better than graphical method? с. (03 Marks) a. Using Big-M method solve the following LPP : 3 Maximize $Z = 2x_1 + x_2$ Subject to $3x_1 + x_2 = 3$ $4x_1 + 3x_2 \ge 6$ $x_1 + 2x_2 \le 4$ $x_1, x_2 \ge 0.$ (08 Marks) b. Using Two-phase method solve the LPP : Maximize $Z = -4x_1 - 3x_2 - 9x_3$ $2x_1 + 4x_2 + 6x_3 \ge 15$ Subject to $6x_1 + x_2 + 6x_3 \ge 12$ and $x_1, x_2, x_3 \ge 0$. (12 Marks)

ביניוש אינייני אינייע אינייער אינייניין אינייער

¢

1

ģ

Number

SUDDUD

11111

is chain the metalities and apply and

i.

10CS/IS661

Explain the computational procedure of revised Simplex method in standard form. a. (08 Marks) b. Using revised Simplex method solve the following LPP : Minimize $Z = x_1 + x_2$ $x_1 + 2x_2 \ge 7$ Subject to $4x_1 + x_2 \ge 6$ (12 Marks) and $x_1, x_2 \ge 0$.

PART – B

- (05 Marks) Explain the role of duality theory in sensitivity analysis. 5 a. (05 Marks)
 - Explain the procedure of dual Simplex method. b.
 - c. Use dual Simplex method and solve the following LPP and also find the solution to the primal.

Minimize $Z = 2x_1 + 9x_2 + x_3$ Subject to $x_1 + 4x_2 + 2x_3 \ge 5$ $3x_1 + x_2 + 2x_3 \ge 4$ and $x_1, x_2, x_3 \ge 0$.

4

Find the initial basic feasible solution using North West corner rule and Vogel's 6 a. approximation method for the following transportation problem : (10 Marks)

19	30	50	10	7
70	30	40	60	9
40	8	70	20	18
5	8	7	14	

- b. Write the procedure of Hungarian method. c. Find the optimal solution to the following assignment problem showing the costs (Rs) for
- (05 Marks assigning workers to jobs. Job

			000		
	W_1	18		16	
Workers	W_2	15	13	14	
	W_3	19	20	21	
		·			

7 a. Using the dominance concept, obtain the optimal strategies for both the players and determine the value of game. The pay off matrix for player A is given. (10 Marks

				В		
		I	П	Ш	IV	V
	I	2	4	3	8	4
А	П	5	6	3	7	8
	Ш	6	7	9	8	7
	IV	4	2	8	4	3

b. Using Graphical method solve the following :

	U		В	
		I	11	Ш
	1	1	3	11
Α			5	

- Explain briefly : 8
 - a. Meta heuristics
 - b. Decision trees
 - c. Simulated annealing
 - d Genetic algorithm.

*** 2 of 2 ***

(20 Mark =

(10 Marks)

(05 Marks


(10 Marks)

USN	ſ		10CS/IS661
Sixth Semester B.E. Degree Examination, Dec.2013/Jan.2014 Operations Research			
Time: 3 hrs. Max. Marks: 100 Note: Answer FIVE full questions, selecting at least TWO questions from each part.			
<u>PART – A</u>			
1	a.	Explain the six phases of OR study.	(12 Marks)
	 b. A retailer deals in two items only, item A and item B. He has `50,000 to invest and a spac to store at most 60 pieces. An item 'A' costs him `2,500 and 'B' costs `500. A net profit t him on item 'A' is `500, and item 'B' is `150. If he can sell all the items he purchases, how should he invest his amount to have maximum profit? (i) Give mathematical formulation to the LPP 		
		(ii) Use graphical method to solve the problem.	(08 Marks)
2	a.	Explain the concept of Tie breaking in simplex method.	(10 Marks)
	b.	Solve the following LPP by simplex method: Maximize $Z = 2x_1 + 2x_2$ Subject to $5x_1 + 3x_2 \le 8$ $2x_1 + 4x_2 \le 8$ and $x_1, x_2 \ge 0$	(10 Marks)
3	a.	Explain the post optimality analysis of linear programming.	(10 Marks)
:	b.	Solve the following LPP by Big-M method. Maximize $Z = 4x_1 + x_2$ Subject to $3x_1 + x_2 = 3$ $4x_1 + 3x_2 \ge 6$ $x_1 + 2x_2 \le 3$ and $x_1, x_2 \ge 0$	(10 Marks)
4	a.	Apply revised simplex method to solve the following problem:Maximize $Z = 6x_1 - 2x_2 + 3x_3$ Subject to $2x_1 - x_2 + 2x_3 \le 2$ $x_1 + 4x_3 \le 4$ and $x_1, x_2, x_3 \ge 0$	(10 Marks)
)	b.		
		(i) The essence of duality theory (ii) Primal dual relationship	(1 0 Mar ks)
<u>PART – B</u>			
5 a. Solve the following LPP by using dual simplex method: Minimize $Z = 10x_1 + 6x_2 + 2x_3$ Subject to $-x_1 + x_2 + x_3 \ge 1$		Minimize $Z = 10x_1 + 6x_2 + 2x_3$ Subject to $-x_1 + x_2 + x_3 \ge 1$	
		$3x_1 + x_2 - x_3 \ge 2$ and $x_1, x_2, x_3 \ge 0$	(10 Marks)
	b.	Explain general procedure for sensitivity analysis.	(10 Marks)

10CS/IS661

6 a. Explain Hungarian algorithm with example.

b. The transportation costs per truck load of cement (in hundred of rupees) from each plant to each project site are as follows:



Determine the optimal distribution for the company so as to maximize the total transportation cost. (10 Marks)

7 a. Two players 'A' and 'B' throw 2 coins on a table 'A' wins `8 when both coins show heads and `1 when both are tail. 'B' wins `3 when coin does not match. Prepare the payoff matrix and determine optimal strategies for each player. (10 Marks)

- b. With reference to game theory define the following, with an example:
 - (i) Pure strategy (ii) Mixed strategy (iii) Saddle point
 - (iv) Payoff matrix (v) Two-person-zero-sum- game (10 Marks)
- 8 Explain briefly the following :
 - a. Tabu search algorithm
 - b. Genetic algorithm
 - c. Metaheuristics
 - d. Simulated Annealing algorithm

(20 Marks)

* * * * *

(10 Marks)

10CS/IS661 USN Sixth Semester B.E. Degree Examination, Dec.2014/Jan.2015 **Operations Research** Time: 3 hrs. Max. Marks;100 Note: Answer FIVE full questions, selecting at least TWO questions from each part. <u> PART – A</u> 1 What is operations research? Briefly explain the various phases of operations research study. a. (08 Marks) b. A person requires minimum 10, 12 and 12 units of chemicals for A, B and C respectively for his garden. A liquid product contains 5, 2 and 1 units of A, B and C respectively per jar. A dry product contains 1, 2 and 4 units of A, B and C per jar. If the liquid product sells for Rs.3 per jar and dry product sells for Rs.2 per jar, how many of each should be purchased in order to minimize the cost and meet requirement. (06 Marks) c. Use graphical method to solve the following : Max $z = 100x_1 + 40x_2$ Subjected to $5x_1 + 2x_2 \le 1000$ $3x_1 + 2x_2 \le 900$ $x_1 + 2x_2 \le 500$ $\mathbf{x}_1, \mathbf{x}_2 \ge 0$ (06 Marks) Solve the following LPP by using simplex method 2 a. Max $z = 3x_1 + 2x_2 + 5x_3$ Subjected to $x_1 + 2x_2 + x_3 \le 430$ $3x_1 + 2x_2 \le 460$ $x + 4x_2 \le 420$ $\langle \mathbf{x}_1, \mathbf{x}_2, \mathbf{x}_3 \geq 0$ (10 Marks) b. Explain the steps involved in setting up of a simplex method. (10 Marks) Solve the following LPP by using Big M method: 3 a. Max $z = -2x_1 - x_2$ Subjected to $3x_1 + x_2 = 3$ $4x_1 + 3x_2 \ge 6$ $x_1 + 2x_2 \le 4$ $x_1, x_2 \ge 0$ (10 Marks) b. Solve the following LPP by using two-phase method: Max $z = 5x_1 + 8x_2$ Subjected to $3x_1 + 2x_2 \ge 3$ $x_1 + 4x_2 \ge 4$ $x_1 + x_2 \le 5$ $\mathbf{x}_1, \mathbf{x}_2 \ge 0$ (10 Marks)

